



Полный список оборудования

Для получения более подробной информации о программе Encore и запроса цены перейдите по ссылке:

www.tektronix.ru/encore/tektronix

или свяжитесь с нами по номеру **+7 495 788 44 44**.

Информация о продукции Tektronix www.ostec-electro.ru, www.tektronix.ru

Скидки распространяются только на позиции, указанные в списке ниже.

Продажа оборудования осуществляется в порядке живой очереди. Предложение действует до полной распродажи склада!

Модель	Описание	Скидка ENCORE
1754	SAFETY UNIVERSAL TEST LEAD KIT	15%
2015	THD DIGITAL MULTIMETER	15%
2303	POWER SUPPLY WITH READBACK	15%
2306	DUAL CHAN BATTERY CHARGER SIM.	15%
2430	IKW PULSE SOURCEMETER	15%
2440	5A SOURCEMETER	15%
2450	Interactive Digital SourceMeter	15%
2460	Hi Current Digital SourceMeter	15%
2461	Hi Current Interactive SourceMeter with 10A Pulse & Digitizer	15%
2510	TEC SOURCE METER	15%
2520	PULSED LASER DIODE TEST SYSTEM	15%
2701	DMM/DATA ACQUISITION SYSTEM	15%
2750	MULTIMETER/SWITCH SYSTEM	15%
2790	SOURCEMETER SWITCH SYSTEM MAINFRAME	15%
3390	50MHz ARBITRARY WAVEFORM GENERATOR	15%
3706	6 SLOT SYSTEM SWITCH WITH HIGH PERFORMANCE DMM	60%
3720	DUAL 1X30 MULTIPLEX CARD (AUTO CJC WITH 3720-ST)	15%
3721	DUAL 1X20 MULTIPLEX CARD (AUTO CJC WITH 3721-ST)	15%
3723	DUAL 1X30 HIGH SPEED REED RELAY MULTIPLEX CARD	15%
3730	6 X 16 HIGH DENSITY MATRIX CARD	15%
3731	6X16 HIGH SPEED REED RELAY MATRIX CARD	15%
3732	QUAD 4X28 REED RELAY MATRIX CARD	15%
3740	28 INDEPENDENT FORM C AND 4 HIGH CURENT FORM A CARD	15%
3750	MULTIFUNCTION CARD 40 DIO,4 COUNTERS, 2AO	15%
5804	4 TERMINAL TEST LEAD SET	15%
5805	KELVIN PROBES, 0.9M (3FT)	15%
6171	TRIAx ADAPTER	15%
6172	TRIAx ADAPTOR	15%
6430	SENSITIVE SOURCEMETER	15%
6482	DUAL-CHANNEL PICOAMMETER / VOLTAGE SOURCE	15%
6521	SCANNER CARD	15%
6522	SCANNER CARD	15%
7001	SWITCH SYSTEM	15%
7002	10-SLOT SWITCH MAINFRAME	15%
7035	9-BANK, 1X4 MULTIPLEXER CARD	15%
7036	40 CHAN SINGLE POLE RELAY CARD	15%
7038	75 OHM 2GHZ MULTIPLEXER CARD	15%
7053	HIGH CURRENT SWITCH CARD	14%

7071	8X12 MATRIX CARD FOR 707	15%
7072	8X12 SEMICONDUCTOR MATRIX CARD	15%
7152	LOW CURRENT MATRIX CARD	15%
7153	HI VOLT LOW CURRENT CARD	15%
7154	2-POLE HIGH VOLTAGE CARD	14%
7158	LOW CURRENT SCANNER CARD	15%
7703	32 CHANNEL HI SPEED DIFF MUX	15%
7705	40 CHANNEL CONTROL MODULE	15%
7707	MULTIPLEXER DIGITAL I/O MODULE WITH 25 P	15%
7709	6 X 8 MATRIX MODULE WITH 25 AND 50 PIN F	15%
7710	20 CHANNEL 60V SOLID STATE MULTIPLEXER C	15%
7711	2GHZ, DUAL 1X4, 50 OHM MULTIPLEXER CARD	15%
7712	3.5GHZ, DUAL 1X4, 50 OHM MULTIPLEXER CAR	15%
7753	HIGH VOLT SOURCE SWITCH MODULE	15%
8010	TEST FIXTURE FOR 265xA	15%
8606	MODULAR PROBE KIT	15%
16210700	CASE, TRANSIT; B&W OUTDOOR CASE TYPE 65 WITH CUSTOM FOAM	n/a
20301801	ACCESSORY KIT; HDMI	60%
67040504	FIXTURE,CAL; PROBE CAL DESKEW; OUTSIDE PROCESS ITEM	60%
119775400	POWER SUPPLY: AC-DC, 51.1W, DESKTOP;90 - 264VAC 47 - 63 HZ, IEC320-C14 IN;12VDC 4.26A	60%
119790001	POWER SUPPLY; EXTRENAL AC-DC, ISOLATED, 90-264 VAC, 47-63 HZ, IEC320-C14 CONNECTOR	60%
196352001	LEADS, LEAD SETS, PAIR RED/BLACK 1000 V CAT II, 10 A RATING; TL710	15%
376025500	HANDLE;HANGING HOOK	60%
1741C	Analog Composite PAL / NTSC Dual Standards Waveform / Vector / SCH Monitor-4 Inputs with	20%
2001/MEM1	HIGH PERFORMANCE DMM W/32K MEM	15%
2001-SCAN	10-CHANNEL SCANNER CARD	15%
2010/E	LOW NOISE 7.5 DIGIT DMM @220V	14%
2015-P	AUDIO ANALYZING DMM	15%
2015-P/E	AUDIO ANALYZING DMM @ 220V	15%
2016-P	AUDIO ANALYZING DMM W/9V SRC	15%
2016-P/J	AUDIO ANALYZING DMM FOR JAPAN	15%
2100/120	6 1/2 DIGIT DMM SET TO 120V	15%
2100/220	6 1/2 DIGIT DMM SET TO 220V	15%
2100/230-240	6 1/2 DIGIT DMM SET TO 230-240V	15%
2107-30	LOW THERMAL INPUT CABLE	45%
2110-120	5.5 DIGIT DMM (USB ONLY) 120V VERSION	15%
2110-120-GPIB	5.5 DIGIT DMM WITH GPIB 120V VERSION	15%
2110-220	5.5 DIGIT DMM (USB ONLY) 220V VERSION	15%
2110-220-GPIB	5.5 DIGIT DMM WITH GPIB 220V VERSION	15%
2110-240	5.5 DIGIT DMM (USB ONLY) 240V VERSION	15%
2187-4	LOW THERMAL TEST LEAD KIT FOR 2182A	15%
2200-20-5	Power Supply, 20 Volts, 5 Amps DC Programmable	15%
2200-30-5	Power Supply, 30 Volts, 5 Amps DC Programmable	15%
2200-32-3	Power Supply, 32 Volts, 3 Amps DC Programmable	15%
2200-72-1	Power Supply, 72 Volts, 1.2 Amps DC Programmable	15%
2220-30-1	PROGRAMMABLE DUAL CHANNEL DC POWER SUPPLY	15%
2220G-30-1	PROGRAMMABLE DUAL CHANNEL DC POWER SUPPLY	15%
2220GJ-30-1	Programmable Dual Channel DC Power Supply for Japan	n/a
2220J-30-1	Programmable Dual Channel DC Power Supply for Japan	n/a
2230G-30-1	PROGRAMMABLE TRIPLE CHANNEL DC POWER SUPPLY	15%

2230J-30-1	PROGRAMMABLE TRIPLE CHANNEL DC POWER SUPPLY FOR JAPAN	n/a
2231A-001	USB Adapter with USB Cable	15%
2231A-30-3	Manual Triple Channel DC Power Supply	15%
2260A-30-72	Programmable DC Power Supply, 30V, 72A, 720W	n/a
2260A-80-27	Programmable DC Power Supply, 80V, 27A, 720W	n/a
2260B-30-36	Programmable DC Power Supply, 30V, 36A, 360W	15%
2260B-30-72	Programmable DC Power Supply, 30V, 72A, 720W	15%
2260B-80-13	Programmable DC Power Supply, 80V, 13.5A, 360W	15%
2260B-80-27	Programmable DC Power Supply, 80V, 27A, 720W	15%
2268-100-8	850W DC Power Supply, 100V, 8.5A	15%
2268-150-5	850W DC Power Supply, 150V, 5.6A	15%
2268-20-42	850W DC Power Supply, 20V, 42A	15%
2268-40-21	850W DC Power Supply, 40V, 21A	15%
2268-60-14	850W DC Power Supply, 60V, 14A	15%
2268-80-10	850W DC Power Supply, 80V, 10.5A	15%
2280S-32-6	Programmable Single Channel DC Power Supply, 32V, 6A, 192W	15%
2280S-60-3	Programmable Single Channel DC Power Supply, 60V, 3.2A, 192W	15%
2290-10	10KV POWER SUPPLY	15%
2290-10-SHVUC	10KV SHV MALE TO UNTERMINATED CABLE 3M(10FT)	35%
2290-5-SHV	5KV SHV FEMALE-SHV FEMALE CABLE, 3M (10FT)	15%
2304A	POWER SUPPLY WITH READBACK	15%
2306-VS	POWER SUPPLY WITH READOUT/TRIGGER	15%
2380-120-60	Programmable DC Electronic Load, 120V, 60A, 250W	15%
2380-500-30	Programmable DC Electronic Load, 500V, 30A, 750W	15%
2400-LV	LOW VOLTAGE SOURCEMETER	15%
2430-C	SOURCEMETER	15%
2440-C	5A SOURCEMETER WITH CONTACT CHECK	15%
2450-DEMO-KIT	2450 DEMO KIT	n/a
2450-TLINK	DB9 TO TRIGGER LINK CONNECTOR ADAPTER	15%
248-MHV	HI V FEMALE-MALE CABLE (10FT)	15%
248-RMK-2	DUAL FIXED RACK MOUNT KIT	35%
248-SHV	HI V FEMALE-FEMALE CABLE 10 FEET	15%
2600-ACS-PK1	2636B BUNDLE WITH ACS BASIC EDITION, (1) 8101-PIV, (4) 4200-TRX-1, (1) KUSB-488B	15%
2600-BAN	BANANA JACK INTERFACE CABLE	15%
2600-PCT-3B	HIGH VOLTAGE PARAMETRIC CURVE TRACER	15%
2600-PCT-4	PARAMETRIC CURVER TRACER HIGH CURRENT VOLTAGE (3KV/50A)	45%
2604B	SOURCEMETER - DUAL CHANNEL, 40V	35%
2611B	SYSTEM SOURCEMETER - SINGLE CHANNEL, 200V	20%
2611B-L	SourceMeter SMU Instrument,1 channel, No Display (1pA,200V,1.5A DC/10A Pulse)	n/a
2612B	SYSTEM SOURCEMETER - DUAL CHANNEL, 200V	15%
2635A	SOURCEMETER	50%
2636B	SYSTEM SOURCEMETER - DUAL CHANNEL, 200V, LOW CURRENT	15%
2651A	HIGH CURRENT SMU - SINGLE CHANNEL	15%
2651A-KIT-2	LOW IMPEDANCE HI CURRENT COAX CABLE KIT ASSY, 2-METERS LG	15%
2657A	HIGH VOLTAGE SMU - SINGLE CHANNEL	15%
2657A-DEMO-KIT	2657A DEMO KIT	35%
2750/E	MULTIMETER/SWITCH SYSTEM @220V	15%
3402-F	165MHZ PULSE GENERATOR 2-CH FRONT CONNECTOR	60%
3706A	6 SLOT SYSTEM SWITCH WITH HIGH PERFORMANCE DMM	15%
3706A-S	6 SLOT SYSTEM SWITCH	15%

3706A-SNFP	3706A-S WITHOUT FRONT PANEL DISPLAY AND KEYPAD	15%
3706-TLK	TEST KIT INCL 3706-BAN AND PLUG-IN ACCESSORIES	15%
3720-ST	SCREW TERMINAL PANEL WITH CJC SENSOR FOR 3720 CARD	15%
3721-MTC-3	50 PIN FEMALE TO MALE D-SUB CABLE ASSY, 3M	15%
3721-ST	SCREW TERMINAL PANEL WITH CJC SENSOR FOR 3721 CARD	15%
3722-MTC-3	104 PIN MALE TO FEMALE D-SUB CABLE ASSY, 3M	15%
3723-ST	SCREW TERMINAL PANEL FOR 3723 CARD	15%
3723-ST-1	SCREW TERMINAL PANEL FOR 3723 CARD (SINGLE POLE)	15%
3724-ST	SCREW TERMINAL PANEL WITH CJC SENSOR FOR 3724 CARD	15%
3730-ST	SCREW TERMINAL PANEL FOR 3730 CARD	60%
3731-ST	SCREW TERMINAL PANEL FOR 3731 CARD	60%
3732-ST-C	SCREW TERM FOR 3732 CARD, COL. EXPANSION	15%
3750-ST	SCREW TERMINAL PANEL FOR 3750 CARD	60%
3791-KIT78-R	78 PIN FEMALE D-SUB CONN KIT (SOLDER CUP CONTACTS)	15%
4200-MTRX-3	ULTRA LOW NOISE SMU TRIAX CABLE, 3M	15%
4200-Q-STBL-KIT	4200-PIV-Q DUT STABILIZATION KIT	15%
4200-SCS/F	SEMI SYSTEM W/2 MPSMU & FPD	15%
4200-SMU	MEDIUM POWER SOURCE-MEASURE UNIT	15%
4200-TRX-1	ULTRA LOW NOISE TRIAX CABLE, 1M	15%
4200-UL-LS-12/B	ULTRA LOW CURRENT SWITCH MATRIX 12 OUTPUTS	15%
4210-CVU	4210 CAPACITANCE VOLTAGE UNIT 1KHZ-10MHZ	15%
4210-SMU	HIGH POWER SOURCE-MEASURE UNIT	15%
4225-PMU	ULTRA-FAST I-V MODULE FOR THE 4200-SCS	15%
		14%
4225-RPM	REMOTE AMPLIFIER/SWITCH FOR THE MODEL 4225-PMU	15%
4288-1	SINGLE FIXED RACK MOUNTING KIT	15%
4288-2	DUAL FIXED RACK MOUNTING KIT	15%
4288-4	SIDE-BY-SIDE RACK MOUNT KIT	15%
4288-9	SINGLE/DUAL FIXED RACK MOUNTING KIT	15%
4299-7	FIXED RACK MOUNT KIT	15%
6487/E	PICOAMMETER/VOLTAGE SOURCE @220V	15%
6517B/E	ELECTROMETER/HIGH RESISTANCE METER	15%
7002-HD-MTX1	6X32 MATRIX CARD	15%
7002-HD-MUX1	QUAD 1X40 MULTIPLEXING CARD	15%
7006-2	IEEE488 CABLE, STRAIGHT ON CONNECTOR, 2M	15%
7007-05	SHIELDED GPIB CAB, 0.5M 1.6 FT	15%
7007-1	SHIELDED GPIB CABLE,1M (3.2FT)	15%
7007-2	SHIELDED GPIB CABLE,2M (6.5FT)	15%
7007-4	SHIELDED GPIB CABLE, 4M 13 FT	15%
7011-C	QUAD 1X10 MULTIPLEXER CARD	14%
7011-S	QUAD 1X10 MULTIPLEXER CARD	15%
7012-C	4X10 MATRIX CARD	15%
7012-S	4X10 MATRIX CARD	15%
7013-C	20 CHANNEL RELAY SWITCH CARD	15%
7015-C	40 CHAN SOLID ST MULTIPLEXER	15%
7072-HV	8X12 HV SEMICONDUCTOR CARD	15%
7078-TRX-20	3 SLOT TRIAX CABLE, 20FT	15%
7078-TRX-3	3 SLOT TRIAX CABLE, 3FT	15%
7078-TRX-5	3 SLOT TRIAX CABLE	15%
7078-TRX-BNC	3-SLOT MALE TRIAX TO BNC ADAPTER	15%

7078-TRX-GND	3-SLOT MALE TRIAX TO BNC ADAPTER (GUARD REMOVED)	15%
708B	1 SLOT SEMICONDUCTOR SWITCHING MAINFRAME	15%
7111-S	40 CHANNEL FORM C SWITCH CARD	15%
7116-MWS	UNS	60%
7174A	8X12 HI SPEED LO I MATRIX CARD	15%
80A02	EOS/ESD PROTECTION MODULE FOR ELECTRICAL STATIC ISOLATION OF TEKTRONIX ELECTRICA	15%
80A03	TEKCONNECT PROBE INTERFACE MODULE	15%
80A05	ELECTRICAL CLOCK RECOVERY MODULE	45%
80A06	Pattern Sync TRIGGER MODULE	60%
80A08	Accessory kit for combining BERTScope Clock Recovery Instruments (CR125A/CR175A/CR286A	15%
80C07B	OPTICAL SAMPLING MODULE; 2.488 GB/S OC48/STM16,2.500 GB/S 2GBE,2.500 GB/S INFINIBA	15%
80C08D	Single channel optical sampling module; 10G Optical Reference Receiver Filters; 12 GHz optica	15%
80C10C	Single Channel, 65/80 GHz Optical Sampling Module(must specify one of options F1, F2, or F3)	15%
80C12B	12 GHz, Broad WaveLength, Amplified Optical Sampling Module	15%
80C14	14+ GHz, Broad WaveLength, Amplified Optical Sampling Module	15%
80E04	SAMPLING MODULE; DUAL,20 GHZ W/TDR ELECTRICAL SAMPLING MODULE - CERTIFICATE OF	15%
80E06	ELECTRICAL; MODULE; OVER 70GHZ; 1 CHANNEL, ELECTRICAL SAMPLING MODULE; CERTIFICA	50%
80E09B	8000 Series, Dual Channel, 60 GHz, Remote Electrical Sampling Module (includes D1)	15%
80E10B	8000 Series, Dual Channel, 50 GHz, Remote Electrical Sampling Module w/ TDR (includes D1)	15%
80E11	8000 Series, Dual Channel, 70 GHz, Ultra-low Jitter, Electrical Sampling Module (includes D1)	15%
80X01	8000 Series - 1 meter Electrical Sampling Module Extender Cable	15%
80X02	8000 Series - 2 meter Electrical Sampling Module Extender Cable	15%
82A04	PHASE REFERENCE MODULE;8-25 GHZ PHASE REFERENCE FREQUENCY	60%
82A04B	8000 Series, Phase Reference Module (includes D1)	15%
AC2100	Soft Carrying Case	15%
AC3000	Soft Carrying Case	15%
AC4000	SOFT CASE FOR DPO4000 SERIES	20%
ACD2000	Soft Carrying Case	15%
ACD4000	Soft Carrying Case	15%
ACD4000B	Soft Carrying Case	15%
ACHHS	Soft sided carrying case	15%
ADA400A	AMPLIFIER, DIFF; MICROVOLT, DIFFERENTIAL, - CERTIFICATE OF TRACEABLE CALIBRATION STA	15%
AFG1022	Arbitrary /Function Generator: 2Channel, 125MS/s, 25MHz Sine Waveform, 14-bits, 3.9 Color L	20%
AFG2021	Arbitrary /Function Generator: 1Channel, 250MS/s, 20MHz Sine Waveform, 14 bits, 3.5 Color L	20%
AFG3021B	ARBITRARY/FUNCTION GENERATOR, 25 MHZ, 1 CHANNEL, GPIB and LAN	10%
AFG3052C	Arbitrary Function Generator: 2Channel, 50MHz Bandwidth, 1GSa/s sampling rate, 128k points	20%
AFG3102C	Arbitrary Function Generator: 2Channel, 100MHz Bandwidth, 1GSa/s sampling rate, 128k poin	20%
AFG3251	ARBITRARY FUNCTION GENERATOR, 240 MHZ, 1 CHANNEL	60%
AFG3252C	Arbitrary Function Generator: 2Channel, 240MHz Bandwidth, 2GMSa/s sampling rate, 128k po	20%
AG7	Audio Generator Module for TG8000 or TG700 mainframe - 4 AES/EBU pair independent outp	20%
AGL7	Analog Genlock Module for TG8000 or TG700 mainframe - 3 black outputs, 1 genlock loopthro	20%
AMM768	AMM768 AUDIO MULTI-CHANNEL MONITOR BASE UNIT (MUST ORDER AN AUDIO OPTION). CE	60%
ATG7	Composite Analog Test Signal Generator Module for TG8000 or TG700 mainframe - 1 test sign	20%
AVG7	Component and Composite Analog Test Signal Generator Module for TG8000 or TG700 mainfr	20%
AWG5014C	Arbitrary Waveform Generator 1.2 Gsample per second, 14 bit resolution, 4 channel	15%
AWG70001A	Arbitrary Waveform Generator: 1-channel, 2G samples record length, 10 bit	45%
AWG70002A	Arbitrary Waveform Generator: 2-channel, 2G samples record length, 10 bit	45%
AWG7122C	Arbitrary Waveform Generator 12.0 Gsample per second, 10 bit resolution, 2 channel	15%
AWVG7	Analog Wideband Test Signal Generator Module for TG8000 or TG700 mainframe - 2 identical	20%
BG7	Analog Black Generator Module for TG8000 or TG700 mainframe - 4 independently selectable	20%

BSA12500ISI	Differential ISI Board	15%
BSA125C	BERTScope 12.5 Gb/s Pattern Generator and Error Analyzer	15%
BSA175C	BSA175C BERTScope 17.5 Gb/s Bit Error Ratio Analyzer	15%
BSA286C	BSA BERT with Generation performance to 28.6Gbps and full rate error detection to 26Gbps. E	15%
BSA286CL	BSA286CL BERTScope Low Noise 28.6 Gb/s Bit Error Ratio Analyzer	15%
BSASATATEE	BSA-SATA-Tee for OOB Signaling	60%
BSAUSB3	USB3 bundle containing instrument switch and cables required to connect BERTScope, DPP an	15%
C1800	37 CONDUCTOR 18IN CABLE	15%
CAB-307	50 PIN, 1M SHIELDED CABLE - ANALOG SIGNA	15%
CR125A	12.5 Gb/s Clock Recovery Instrument	15%
CR175A	17.5 Gb/s Clock Recovery Instrument	15%
CR286A	28.6 Gb/s Clock Recovery Instrument	15%
CT-1000-M	Fixed-Core Current Transducer, Hall Effect, up to 1000A	15%
CT-200-M	Fixed-Core Current Transducer, Hall Effect, up to 200A	15%
CT-60-S	Fixed-Core Current Transducer, High Accuracy, up to 60A	15%
DMM7510	7.5 Digit Graphical Sampling Multimeter	15%
DP-AUX	DisplayPort Auxiliary Controller Hardware and Software	15%
DPHYPRE	The Moving Pixel Company; 1.5Gbps D-PHY Preprocessor for TLA; No Power Supply Included	40%
DPO2AUTO	Application Module: Automotive Serial Triggering and Analysis (CAN, LIN)	20%
DPO2COMP	Application Module: Computer Serial Triggering and Analysis (RS-232/422/485/UART)	20%
DPO2CONN	Communication I/O Module: Ethernet and External Monitor Out	20%
DPO2EMBD	Application Module: Embedded Serial Triggering and Analysis (I2C, SPI)	20%
DPO3052	OSCILLOSCOPE; DIGITAL PHOSPHOR, 500 MHZ, 2.5 GS/S, 5M RECORD LENGTH, 2-CH, COLOR D	30%
DPO3AERO	Aerospace serial triggering and analysis module for the MSO/DPO3000 Series	15%
DPO3AUDIO	Application Module: Audio Serial Triggering and Analysis (I2S, LJ, RJ, TDM)	15%
DPO3AUTO	Application Module: Automotive Serial Triggering and Analysis (CAN, LIN)	15%
DPO3COMP	Application Module: Computer Serial Triggering and Analysis (RS-232/422/485/UART)	15%
DPO3EMBD	Application Module: Embedded Serial Triggering and Analysis (I2C, SPI)	15%
DPO3FLEX	FlexRay serial triggering and analysis module for the MSO/DPO3000 Series	15%
DPO3PWR	Application Module: Power Measurement and Analysis	15%
DPO3VID	HDTV AND CUSTOM VIDEO TRIGGER FOR DPO3000 SERIES	15%
DPO4054B	Oscilloscope; Digital Phosphor, 500MHz, 2.5GS/s, 20M Record Length, 4 ch, Certificate of Trac	30%
DPO4102B-L	Oscilloscope;Digital Phosphor, 1GHz, 5/2.5 GS/s (1/2 channels), 5M Record Length, 2 ch, Certif	15%
DPO4AERO	Application Module: Aerospace Serial Triggering and Analysis (MIL-STD 1553)	15%
DPO4AUDIO	Application Module: Audio Serial Triggering and Analysis (I2S, LJ, RJ, TDM)	15%
DPO4AUTO	Application Module: Automotive Serial Triggering and Analysis (CAN, LIN)	15%
DPO4AUTOMAX	Application Module: Extended Automotive Serial Triggering and Analysis (CAN, LIN, FlexRay)	15%
DPO4BND	Application Module; Bundle module for MDO/MSO/DPO4000B and MDO4000 Series (Includes	15%
DPO4COMP	Application Module: Computer Serial Triggering and Analysis (RS-232/422/485/UART)	15%
DPO4EMBD	Application Module: Embedded Serial Triggering and Analysis (I2C, SPI)	15%
DPO4ENET	Application Module: Ethernet Serial Triggering and Analysis (10BASE-T, 100BASE-TX)	15%
DPO4LMT	Application Module: Limit and Mask Testing	15%
DPO4PWR	Application Module: Power Measurement and Analysis	15%
DPO4USB	Application Module: USB Serial Triggering and Analysis (USB2.0 LS, HS, FS)	15%
DPO4VID	Application Module: HDTV and Custom Video Triggering	15%
DPO70404C	4 GHz Digital Phosphor Oscilloscope; 4 analog channels	15%
DPO72304DX	23 GHz Digital Phosphor Oscilloscope; 4 analog channels	15%
DPO72504DX	25 GHz Digital Phosphor Oscilloscope; 4 analog channels	15%
DPO7254	2.5 GHZ DIGITAL PHOSPHOR OSCILLOSCOPE, CERTIFICATE OF TRACEABLE CALIBRATION STAND	35%
DPO73304D	33 GHz Digital Phosphor Oscilloscope; 4 analog channels	35%

DPO73304DX	33 GHz Digital Phosphor Oscilloscope; 4 analog channels	15%
DPO7354C	3.5 GHz, 10/20/40 GS/s (4/2/1 ch), 25 M record length, 4-channel digital phosphor oscilloscop	30%
DPO77002SX	70 GHz ATI Performance Oscilloscope; 1 Ch, 70GHz, 200GS/s or 2 Ch, 33GHz, 100GS/s	15%
DPOACQSYNC	Accessory kit used to synchronize two DPO/DSA/MSO70000 series scopes	15%
DPP125C	1-12.5 Gb/s 3 Tap Digital Pre-Emphasis Processor	15%
DSA72004C	20 GHz Digital Serial Analyzer; 4 analog channels	25%
DSA72504D	25 GHz Digital Serial Analyzer; 4 analog channels	35%
DSA73304D	33 GHz Digital Serial Analyzer; 4 analog channels	20%
DSA8200	DIGITAL SERIAL ANALYZER, CERTIFICATE OF TRACEABLE CALIBRATION STANDARD	40%
DTGM32	1CH 1.25V DIFFERENTIAL OUTPUT MODULE WITH LOW FREQUENCY, WIDE AMPLITUDE EXTER	60%
DVG7	SD-SDI Test Signal Generator Module for TG8000 or TG700 mainframe - 2 identical SD-SDI test	20%
ECO422D	CHANGEOVER UNIT; STANDARD DEFINITION/HIGH DEFINITION-STATEMENT OF COMPLIANCE I	60%
ECO8000	ECO (automatic changeover) base unit - 3 x BNC channels (black burst, HD tri-level sync, AES/D	20%
ECO8020	ECO (automatic changeover) base unit - 5 x high-density BNC channels (black burst, HD tri-leve	20%
ET-DP-TPA-S	EFFICERE INC; DISPLAYPORT FIXTURE SET FOR RX AND CABLE TESTING	60%
ET-DP-TPA-STX	EFFICERE INC; DISPLAYPORT FIXTURE SET FOR TX TESTING	30%
ET-HDMIC-TPA-S	EFFICERE INC; HDMI TYPE C FIXTURE SET FOR RX AND CABLE TESTING	35%
ET-HDMI-TPA-S	EFFICERE INC; HDMI TYPE A FIXTURE SET FOR RX AND CABLE TESTING	35%
FCA3020	Timer/Counter/Analyzer, 300MHz/20GHz, 100 ps, Std Timebase	15%
FCA3100	Timer/Counter/Analyzer, 300MHz, 50 ps, Std Timebase	15%
FCA3103	Timer/Counter/Analyzer, 300MHz/3GHz, 50 ps, Std Timebase	15%
FCA3120	Timer/Counter/Analyzer, 300MHz/20GHz, 50 ps, Std Timebase	15%
FPGAVIEW-A-MSO	FPGAVIEW, TEKTRONIX MIXED SIGNAL OSCILLOSCOPE SUPPORT FOR ALTERA FPGAS	35%
GPS7	GPS Master Clock Synchronization and Timecode Module for TG8000 or TG700 mainframe - in	20%
H500	6.2 GHz Spectrum Analyzer for Signal Analysis, Certificate of Traceable Calibration Standard	15%
HCHHS	Hard sided carry case	15%
HDLG7	Dual Link HD-SDI Test Signal Generator Module for TG8000 or TG700 mainframe - 2 identical D	20%
HDVG7	HD-SDI Test Signal Generator Module for TG8000 or TG700 mainframe - 2 identical HD-SDI tes	20%
HV-CA-571-3	HV TRIAX FEMALE BKHD UNTERM CABLE, 3 M	15%
IPM400A	IP Video Monitoring Probe for monitoring up to 500 sessions in parallel	20%
K475	CART, WORKSTATION / INSTRUMENT TOWER, 56 HIGH	15%
KPCI-488LPA	LOW PROFILE IEEE-488 INTERFACE BOARD	15%
KUSB-3100	LOW COST USB DAQ MODULE	60%
KUSB-3102	MULTI-FUNCTION USB DAQ MODULE	60%
KUSB-3160	96-CHANNEL DIO USBMODULE	60%
KUSB-488B	IEEE-488.2 USB-TO-GPIB INTERFACE ADAPTER	15%
LE160	16Gbps Linear Equalizer	15%
MCA3027	Microwave/Counter Analyzer & Power Meter, 300MHz/27GHz, Med Timebase	15%
MDO3102	Mixed Domain Oscilloscope; (2) 1GHz analog channels, 10M record length, 1GHz spectrum ana	15%
MDO3104	Mixed Domain Oscilloscope; (4) 1GHz analog channels, 10M record length, 1GHz spectrum ana	25%
MDO3AERO	Application Module; Aerospace serial triggering and analysis (MIL-STD-1553)	15%
MDO3AUDIO	Application Module; Audio serial triggering and analysis (I2S, LJ, RJ, TDM)	15%
MDO3AUTO	Application Module; Automotive serial triggering and analysis (CAN, LIN)	15%
MDO3COMP	Application Module; Computer serial triggering and analysis (RS-232/422/485/UART)	15%
MDO3EMBD	Application Module; Embedded serial triggering and analysis (I2C, SPI)	15%
MDO3FLEX	Application Module; FlexRay serial triggering and analysis (FlexRay)	15%
MDO3LMT	Application Module; Limit/Mask test	15%
MDO3PWR	Application Module; Power measurement and analysis	15%
MDO3USB	Application Module; USB serial triggering and analysis (LS, FS)	15%
MDO4104B-6	Mixed Domain Oscilloscope; (4) 1 GHz analog channels: (16) digital channels: (1) 6 GHz spectru	20%

MDO4104C	Mixed Domain Oscilloscope; (4) 1 GHz analog channels, 20M record length, 3-year warranty, C	15%
MDO4AFG	Add (1) channel arbitrary function generator to MDO4000C Series oscilloscope	15%
MDO4MSO	Add (16) digital channels with P6616 logic probe to MDO4000C Series oscilloscope	15%
MDO4SA6	Add (1) channel spectrum analyzer with input frequency of 9 kHz to 6 GHz to MDO4000C Serie	15%
MSO2002B	Mixed Signal Oscilloscope; Digital Phosphor, 70 MHz, 1 GS/s, 1M record length, 2+16-ch, Color	20%
MSO2012	Mixed Signal Oscilloscope; Digital Phosphor, 100 MHz, 1 GS/s, 1M record length, 2+16-ch, Colo	25%
MSO2024B	Mixed Signal Oscilloscope; Digital Phosphor, 200 MHz, 1 GS/s, 1M record length, 4+16-ch, Colo	20%
MSO3032	Mixed Signal Oscilloscope; Digital Phosphor, 300 MHz, 2.5 GS/s, 5 M Record Length, 2+16 ch, C	30%
MSO4014B	Mixed Signal Oscilloscope; Digital Phosphor, 100 MHz, 2.5/2.5/2.5 GS/s (1/2/4 channels), 20M	30%
MSO5104B	Mixed Signal Oscilloscope; Digital Phosphor, 1GHz, 10/5GS/s (2/4 channels), 25M Record Leng	15%
MSO5204B	Mixed Signal Oscilloscope; Digital Phosphor, 2GHz, 10/5GS/s (2/4 channels), 25M Record Leng	15%
MSO72304DX	23 GHz Mixed Signal Oscilloscope; 4 analog / 16 logic channels	15%
MSO72504DX	25 GHz Mixed Signal Oscilloscope; 4 analog / 16 logic channels	15%
MSO73304DX	33 GHz Mixed Signal Oscilloscope; 4 analog / 16 logic channels	15%
MTM400A	MPEG Transport Stream Monitor. Includes: 1RU chassis fitted with transport stream processor	20%
MTM4FQC	FIELD UPGRADE LICENSE TO ADD QAM ANNEX C INTERFACE TO AN EXISTING PROBE	35%
MTS4000	MPEG TEST SYSTEM INCORPORATING DESKTOP PLATFORM. THIS INCLUDES: REAL AND DEFER	20%
MTX100B	MPEG TS generator; includes: player and record, DVB synchronous parallel interface (LVDS), 10	60%
NEX-DDR2MP84BS	NEXUS TECHNOLOGY, INC DDR2 x16 Solder Chip Interposer for Oscilloscope Probes	15%
NEX-DDR3INTR-P	Nexus Technology, DDR3 DIMM Protocol Interposer - only probes A,C,C with one HCD Connect	15%
NEX-DDR3MP78BS	NEXUS TECHNOLOGY,DDR3 x4/x8 Socket Chip Interposer for Oscilloscope Probes	15%
NEX-MCA4-DDR3	MCA4000 Memory Compliance Analyzer with support for DDR3 2133MT/s	15%
NEX-PRB1XL	NEXUS TECHNOLOGY, INC. DISTRIBUTED (PASSIVE) 1X PROBE, TLA TO HCD, LONG HCD PROBE,	15%
NEX-SODDR3INTR7	DDR3 SO-DIMM interposer with ECC	15%
NEX-SODDR3INTR-	Nexus Technology, DDR3 SODIMM Interposer with A,C,C on one HCD Connector	15%
OM4106D	33GHz Coherent Lightwave Signal Analyzer (requires choice of lasers)	45%
OM5110	46GBaud Dual-Polarization Coherent Optical IQ Transmitter	15%
		14%
OMRACK	Tabletop mounting rack for OM4xxx series	15%
OMRACK2	Tabletop mounting rack for OM4xxx series	15%
P332	THE MOVING PIXEL COMPANY; 1.5GBPS D-PHY SERIAL PROBE FOR PG3A; NORTH AMERICA PO	35%
P370	THE MOVING PIXEL COMPANY; CMOS/TTL PROBE FOR USE WITH PG3A DIGITAL PATTERN GEN	15%
P370LV	THE MOVING PIXEL COMPANY; CMOS PROBE FOR USE WITH PG3A DIGITAL PATTERN GENERA	15%
P370LV2	THE MOVING PIXEL COMPANY; CMOS PROBE FOR USE WITH PG3A DIGITAL PATTERN GENERA	15%
P373	THE MOVING PIXEL COMPANY; LVDS PROBE FOR USE WITH PG3A DIGITAL PATTERN GENERAT	15%
P373-B	The Moving Pixel Company; LVDS probe for use with PG3A Digital Pattern Generator (16 Chan	15%
P375-B	The Moving Pixel Company; Universal Output Probe for use with PG3A Digital Pattern Generat	15%
P5050B	PASSIVE PROBE; 10X 500 MHZ PASSIVE VOLTAGE PROBE; COVERED BNC	15%
P5150	High Voltage PROBE; 50X, 500 MHZ, 2.5 kV	15%
P5200A	High Voltage Probe: 50 MHz, 50X/500X, 1.3 kV, Differential, BNC	15%
P5910	17-Channel General Purpose Probe for TLA6400 Logic Analyzers; Fits both 0.100 in. and 2 mm	15%
P6041	Probe Cable, Passive, for Use with CT-1 and CT-2 - Statement of Compliance included with this	15%
P6101B	Probe, Passive; 15 MHz, 1X	15%
P6103B	Probe, Passive; 60 MHz, 10X	35%
P6112	PROBE, PASSIVE; 100 MHZ,10X, FOR TDS200 SERIES OSCILLOSCOPES	35%
P6150	Passive Probe: 10X/1X, 9GHz, 12.5V low capacitance	15%
P6205	PROBE FET ACT; 750MHZ 10X 1.5M TEKPROBE	15%
		n/a
P6243	Active Probe: 1 GHz, 10X, Single-ended, TekProbe	15%
P6245	PROBE,FET ACT; >1.5GHZ,10X,<1PF,TDS SERIES - CERTIFICATE OF TRACEABLE CALIBRATION ST	15%

P6246	Differential Probe: 400 MHz, 1X/10X, +/- 8.5V, TekProbe	15%
P6247	PROBE,DIFF,ACT; 1GHZ BW,+/- 0.85/8.5V,1PF,TPI - CERTIFICATE OF TRACEABLE CALIBRATION S	15%
P6248	PROBE; 1.7GHZ DIFFERENTIAL - CERTIFICATE OF TRACEABLE CALIBRATION STANDARD	15%
P6251	PROBE, DIFF HV, WITH TEKPROBE-BNC INTERFACE, 42V, 1GHZ - CERTIFICATE OF TRACEABLE C	15%
P6316	MSO PROBE; 16 CHANNEL GENERAL PURPOSE PROBE	20%
P6330	PROBE; DIFFERENTIAL; 3.5 GHZ BW, BNC, +/-1.75 V DIFFERENTIAL.L DYNAMIC RANGE, +5V -4V	15%
P6419	PROBE, LA; 17-CH HIGH DENSITY COMPRESSION PROBE FOR USE WITH TLA52XX AND TLA7LX/	35%
P6450	SINGLE ENDED 34 CHANNEL, HIGH DENSITY CONNECTORLESS D-MAX PROBE FOR THE TLA5000	60%
P6516	MSO PROBE; 16 CH GENERAL PURPOSE PROBE FOR THE MSO4000 SERIES.	15%
P6703B	O/E CONVERTER; DC-1GHZ, 1100-1650NM, TPI - CERTIFICATE OF TRACEABLE CALIBRATION ST	15%
P6716G3	PCIE SERIAL, 16 DIFFERENTIAL INPUTS, X8, MIDBUS PROBE FOR TLA7SXX MODULES TO CONNE	60%
P6717	17 channel general purpose logic probe for MSO70000 with accessories	60%
P6717A	PROBE, GENERAL PURPOSE UPGRADED W/ ACCESSORY KIT	15%
P6750	PROBE, P6750 DMAX FOR MSO70K INSTRUMENTS	15%
P6780	17 channel differential input logic probe for MSO70000 with solder-in accessories	15%
P67SA01S	PCIE3 Serial,2 Differential Inputs,x1,Slot Interposer Probe	60%
P67SA01SD	PCIE3 Serial,1 Differential Input,Solder Down Probe	15%
P67SA04S	PCIE3 Serial,8 Differential Inputs,x4,Slot Interposer Probe	15%
P67SA08G2	PCle Serial, 8 Differential Inputs, x4, Midbus Probe for TLA7SAxx Modules to Connect to PCIe2	20%
P67SA08S	PCIE3 Serial,16 Differential Inputs,x8,Slot Interposer Probe	15%
P67SA16	PCIE3 Serial,16 Differential Inputs,x8,Midbus Probe	15%
P67SA16G2	PCIE SERIAL, 16 DIFFERENTIAL INPUTS, X8, MIDBUS PROBE FOR TLA7SAXX MODULES TO CONN	15%
P67SA16S	PCIE3 Serial,32 Differential Inputs,x16,Slot Interposer Probe	15%
P67UHDSMA	PCIE3 Serial,4 Differential Inputs,x2,UHD-to-SMA Probe Leadset for P67xx/P67SAxxx Series Pro	15%
P6860	34-Channel Probe For TLA7000 Logic Analyzers; High Density Compression Technology; Single	15%
P6864	LA PROBE; LOGIC ANALYZER PROBE FOR TLA7AXX, 17 CHANNEL, HIGH DENSITY COMPRESSION	60%
P6880	PROBE,LA; LOGIC ANALYZER PROBE FOR TLA7AXX,34 CHANNEL,HIGH DENSITY COMPRESSION,	60%
P6910	34-Channel General Purpose Probe for TLA7000 Logic Analyzers; Single-Ended/Differential Cloc	15%
P6960	34-Channel D-Max Probe for TLA7000 Logic Analyzers; Single-Ended Data,Single-Ended/Differe	15%
P6960DBL	34-Channel D-Max Probe for TLA7000 Logic Analyzers; Single-Ended Data,Single-Ended/Differe	15%
P6960HCD	34-Channel HCD Probe Cable for TLA7000 Analyzers; for DDR Applications; Single-Ended Data,	15%
P6962HCD	34-Channel HCD Probe Cable for TLA7000 Analyzers; for DDR Applications; Single-Ended Data,	15%
P6982	17-Channel D-Max Probe for TLA7000 Logic Analyzers; Optimized for 2x Demux; Single-Ended/	15%
P7225	ACTIVE PROBE; 2.5 GHZ, 10x 8.0 v DYNAMIC RANGE, TEKCONNECT INTERFACE, CERTIFICATE O	15%
P7240	PROBE, ACTIVE; 4 GHZ BW, 2.0V DYNAMIC RANGE, CERTIFICATE OF TRACEABLE CALIBRATION	15%
P7313	DIFFERENTIAL PROBE, 12.5 GHZ	40%
P7330	PROBE; DIFFERENTIAL; 3.5 GHZ BW, +/-1.75 V DIFFERENTIAL.L DYNAMIC RANGE, +5V -4V COM	15%
P7340A	DIFFERENTIAL PROBE, 4 GHZ CERTIFICATE OF CALIBRATION STANDARD	15%
P7360A	DIFFERENTIAL PROBE, 6 GHZ CERTIFICATE OF CALIBRATION STANDARD	15%
P7380A	Z-ACTIVE DIFFERENTIAL PROBE, 8.0 GHZ	15%
P7380HHA	P7380 HANDHELD ADAPTER;	35%
P7380SMA	8 GHZ DIFFERENTIAL SIGNAL ACQUISITION SYSTEM WITH SMA INPUTS,CERTIFICATE OF TRACE	60%
P7506	6GHz TRIMODE DIFFERENTIAL PROBE	15%
P7513A	13GHz TRIMODE DIFFERENTIAL PROBE	40%
P7516	TRIMODE DIFFERENTIAL PROBE. CERTIFICATE OF TRACEABLE CALIBRATION STANDARD WITH P	40%
P7520A	TriMode Differential Probe	40%
P75PDPM	P7500 PRECISION DIFFERENTIAL PROBING MODULE	15%
P75PST	ASSEMBLY, PERFORMANCE SOLDER TIP	15%
P7633	33 GHZ LOW NOISE TRIMODE PROBE IN CASE WITH ACCESSORIES	15%
P76CA-292	P76CA-292 PROBE TIP ASSEMBLY IN CASE WITH ACCESSORIES	15%

P76CA-292C	P76CA-292C PROBETIP ASSEMBLY IN CASE WITH ACCESSORIES	15%
P76CA-SMP	P76CA-SMP PROBE TIP ASSEMBLY IN CASE WITH ACCESSORIES	15%
P76TA	P76TA PROBE TIP ASSEMBLY IN CASE WITH ACCESSORIES	15%
P80318	Probe kit,18GHz 100 Ohm Differential Hand Probe	15%
PA1000	PA1000 Single-Phase Power Analyzer	15%
PA4000	PA4000 Multi-phase Power Analyzer	60%
PED3202	32Gb/s Programmable Error Detector, 2-channel	15%
PED4002	40 Gb/s Programmable error detector, 2-channel	15%
PG3ACAB	THE MOVING PIXEL COMPANY; DIGITAL PATTERN GENERATOR MODULE IN AN EXTERNAL CAB	60%
PG3ACAB-B	The Moving Pixel Company; 64 Channel Digital Pattern Generator Cabinet Form Factor	15%
PG3AMOD	THE MOVING PIXEL COMPANY; DIGITAL PATTERN GENERATOR MODULE SUITABLE FOR USE IN	60%
PGREMOTE-CSI-DS	Moving Pixel Co., Software, PG3A generation of CSI or DSI signals	60%
PPG3004	30Gb/s Programmable Pattern Generator, 4-channel	15%
PPG3202	32Gb/s Programmable Pattern Generator, 2-channel	15%
PPG3204	32Gb/s Programmable Pattern Generator, 4-channel	15%
PPM100	POSITIONER; PROBE POSITIONER; CLAMP, BASE, POSITIONING ARM, PROBE HOLDER	15%
PPM203B	ARTICULATING ARM; WITH XYZ MANIPULATOR AND HIGH-MASS BASE	15%
PQA600A	Picture quality analyzer platform	30%
PQA600B	Picture quality analyzer platform	45%
PSM3110	USB Power Meter True Average 10MHz 8GHz, 3.5mm Male	15%
PSM3120	USB Power Meter True Average 10MHz 8GHz, N-Type Male	15%
PSM3310	USB Power Meter True Average 10MHz 18GHz, 3.5mm Male	15%
PSM3320	USB Power Meter True Average 10MHz 18GHz, N-Type Male	15%
PSM3510	USB Power Meter True Average 10MHz 26.5GHz, 3.5mm Male	15%
PSM4110	USB Power Meter Avg/Peak/Pulse 10MHz 8GHz, 3.5mm Male	15%
PSM4120	USB Power Meter Avg/Peak/Pulse 10MHz 8GHz, N-Type Male	15%
PSM4320	USB Power Meter Avg/Peak/Pulse 50MHz 18GHz, N-Type Male	15%
PSM4410	USB Power Meter Avg/Peak/Pulse 50MHz 20GHz, 3.5mm Male	15%
PSM5110	USB Power Meter Avg/Peak/Pulse +Profiling 100MHz 8GHz, 3.5mm Male	15%
PSM5120	USB Power Meter Avg/Peak/Pulse +Profiling 100MHz 8GHz, N-Type Male	15%
PSM5320	USB Power Meter Avg/Peak/Pulse +Profiling 50MHz 18GHz, N-Type Male	15%
PSM5410	USB Power Meter Avg/Peak/Pulse +Profiling 50MHz 20GHz, 3.5mm Male	15%
PSPL5310R	PHASE-MATCHED BALUN	15%
PSPL5315	DIFF PULSE SPLITTER-BALUN, SMA J-J-J	15%
PSPL5320B	DIFF PULSE SPLITTER-BALUN, SMA J-J-J	15%
PSPL5350	POWER DIVIDER, 6dB	15%
PSPL5542	BIAS TEE, 50GHz, 16V	15%
PSPL5543	BIAS TEE, 100V, 500mA	15%
PSPL5544	BIAS TEE, 100V, 2A	15%
PSPL5866	AMPLIFIER, 25dB GAIN, 2.5kHz-10GHz	15%
PSPL5868	DRIVER AMPLIFIER, 10.7 Gb/s	15%
PSPL5882	AMPLIFIER, 40-45GHz, 16dB GAIN	15%
PWS2185	Power Supply,0-18 V, 5 Amp DC	15%
PWS2326	Power Supply, 0-32 V, 6 Amp DC	15%
PWS2721	Power Supply, 0-72 V, 1.5 Amp DC	15%
PWS4205	Power Supply, 20 Volts, 5 Amps DC Programmable	15%
PWS4305	Power Supply, 30 Volts, 5 Amps DC Programmable	15%
PWS4323	Power Supply, 32 Volts, 3 Amps DC Programmable	15%
PWS4602	Power Supply, 60 Volts, 2.5 Amps DC Programmable	15%
PWS4721	Power Supply, 72 Volts, 1.2 Amps DC Programmable	15%

QAM400A	DTV Monitor for TS and RF cable network monitoring	20%
RM2000B	RACKMOUNT KIT; FOR TDS1000B/TDS2000B SERIES OSCILLOSCOPES	15%
RM3000	RACKMOUNT KIT; FOR TDS3000 FAMILY	15%
RM4000	RACK MOUNT KIT FOR DPO4000 AND MSO4000 SERIES	15%
RMD2000	Rackmount Kit	15%
RMD3000	Rackmount Kit	15%
RMD5000	Rackmount Kit	15%
RMU2U	Rackmount Kit	15%
RSA300CASE	Soft carrying case, RSA306 real time spectrum analyzer	15%
RSA300TRANSIT	Hard-sided transit case, RSA306 real time spectrum analyzer	15%
RSA306	USB real time signal analyzer	15%
RSA3408B	DC - 8 GHZ REAL TIME SPECTRUM ANALYZER, 36 MHZ BANDWIDTH	60%
RSA3KR	RACKMOUNT RSA33/34B SERIES REAL TIME SPECTRUM ANALYZERS (CUSTOMER INSTALLABLE	15%
RSA5103B	Real Time Signal Analyzer 1 Hz-3 GHz	15%
RSA5106A	Real Time Signal Analyzer 1 Hz-6.2 GHz 25 MHz Acquisition BW	45%
RSA5106B	Real Time Signal Analyzer 1 Hz-6.2 GHz	15%
RSA5115B	Real Time Signal Analyzer 1 Hz-15 GHz	15%
RSA5126B	Real Time Signal Analyzer 1 Hz-26.5 GHz	15%
RSA6114B	REAL TIME SIGNAL ANALYZER; 9 kHz-14 GHz, 40 MHz Acq. BW	15%
RSA6120A	REAL TIME SPECTRUM ANALYZER; 9 KHZ - 20 GHZ, 40 MHZ CAPTURE BW. CERTIFICATE OF TRA	70%
RSA6120B	REAL TIME SIGNAL ANALYZER; 9 kHz-20 GHz, 40 MHz Acq. BW	15%
RTPA2A	REAL-TIME SPECTRUM ANALYZER TEKCONNECT PROBE ADAPTER	15%
RTX100B	ISDB-T & ISDB-TB RF signal generator; includes player and record, ISDB-T modulator and upcon	60%
S46-40	40 GHZ UNTERMINATED RF SWITCH SYSTEM	15%
S46-4400345678A	S46 PARAMETRIC TEST SYSTEM	60%
S46-66005	APPLICATIONS INTEGRATED SYSTEM	20%
SA2500	6.2 GHz Spectrum Analyzer for Signal Analysis, Certificate of Traceable Calibration Standard	15%
SATA-II	CRESCENT HEART SOFTWARE SERIAL ATA PROBING SUPPORT-NOT AVAILABLE FOR JAPAN	20%
SDI7	Dual Channel SD/HD/3G-SDI Test Signal Generator Module for TG8000 or TG700 mainframe (O	20%
SIGEXPTE	NI LabVIEW SignalExpress Tektronix Edition; ADVANCED ANALYSIS SOFTWARE FOR TEKTRONIX	60%
SMK4	ADAPTER MICRO-GRABBERS; PROBE ATTACHMENT FOR SMALL GEOMETRY LEADS,4 EACH	15%
SPECMON26B	Real Time Spectrum Analyzer, 26.5 GHz , swept DPX, density and frequency mask trigger, inter	15%
SPECMON6	Real Time Spectrum Analyzer, 6.2 GHz , internal preamplifier, 40 MHz real time bandwidth, pul	60%
SPECMON6B	Real Time Spectrum Analyzer, 6.2 GHz , swept DPX, density and frequency mask trigger, intern	15%
SPG600	TV SIGNAL GENERATOR	40%
SPG8000	Master Sync / Master Clock Reference Generator base unit - loop through genlock, 3 analog bl	20%
TAP1500	Active Probe: 1.5 GHz, 10X, Single-ended, TekVPI	15%
TAP2500	Active Probe: 2.5 GHz, 10X, Single-ended, TekVPI	30%
TAP3500	Active Probe: 3.5 GHz, 10X, Single-ended, TekVPI	30%
TBS1042	Oscilloscope; Digital Storage, 40 MHz, 500 M/s, 2.5k record length, 2-ch, Color Display, 5-year	20%
TBS1052B	Digital Storage Oscilloscope: 50MHz bandwidth, 1GS/s sample rate, 2 channel, 2.5K record len	20%
TBS1052B-EDU	Digital Storage Oscilloscope: 50MHz bandwidth, 1GS/s sample rate, 2 channel, 2.5K record len	20%
TBS1062	Oscilloscope; Digital Storage, 60 MHz, 1GS/s, 2.5k record length, 2-ch, Color Display, 5-year Wa	25%
TBS1072B-EDU	Digital Storage Oscilloscope: 70MHz bandwidth, 1GS/s sample rate, 2 channel, 2.5K record len	20%
TBS1102B-EDU	Digital Storage Oscilloscope: 100MHz bandwidth, 2GS/s sample rate, 2 channel, 2.5K record le	20%
TBS1104	Digital Storage Oscilloscope: 100MHz bandwidth, 1GS/s sample rate, 4 channel, 2.5K record le	20%
TBS1152	Oscilloscope; Digital Storage, 150 MHz, 1GS/s, 2.5k record length, 2-ch, Color Display, 5-year	45%
TBS1152B-EDU	Digital Storage Oscilloscope: 150MHz bandwidth, 2GS/s sample rate, 2 channel, 2.5K record le	20%
TBS1154	Digital Storage Oscilloscope: 150MHz bandwidth, 1GS/s sample rate, 4 channel, 2.5K record le	20%
TBS1202B	Digital Storage Oscilloscope: 200MHz bandwidth, 2GS/s sample rate, 2 channel, 2.5K record le	20%

TBS1202B-EDU	Digital Storage Oscilloscope: 200MHz bandwidth, 2GS/s sample rate, 2 channel, 2.5K record le	20%
TCA75	TEKCONNECT ADAPTER; 75 OHM TO 50 OHM, WITH 75 OHM BNC INPUT CONNECTOR	15%
TCA-SMA	TEKCONNECT SMA; TEKCONNECT ADAPTER WITIH SMA INPUT CONNECTOR	15%
TCA-VPI50	TekVPI to TekConnect Adapter for 50ohm terminated accessories	30%
TCP202A	Probe, AC/DC Current; DC coupled, 15 Amp Max DC; 50 MHz BW, TekProbe Lvl2 Interface; Cer	15%
TCP305	PROBE, AC/DC CURRENT; DC-50MHZ, 50A DC, CERTIFICATE OF TRACEABLE CALIBRATION STAN	45%
TDP3500	Differential Probe: 3.5 GHz, 5X, +/- 2V, TekVPI	30%
TDS3AAM	Application Module: Advanced Analysis	15%
TDS3ION	Battery Charger for TDS3K, SAFETY CONTROLLED	15%
TDS3TMT	Application Module: Telecom Mask Testing	15%
TDS3VID	Application Module: HDTV and Custom Video Triggering	15%
TDS3VM	VGA / RS-232 Interface Module for TDS3000 Series Oscilloscopes	35%
TEK-DPG	Accessory, Deskew Pulse Generator Signal Source with TekVPI Scope Interface	15%
TF-DP-TPA-P	DisplayPort Plug Adapter	15%
TF-DP-TPA-PRC	DisplayPort Adapter Kit	15%
TF-GBE-JTC	CRESCENT HEART SOFTWARE 103-METER 1000BASET JITTER TEST CHANNEL CABLE	15%
TF-GBE-SIC	CRESCENT HEART SOFTWARE SHORT (4-INCH) (0,1-METER) RJ45 INTERCONNECT CABLE	15%
TF-HDMIC-TPA-S	SOURCE,SINK AND CABLE TESTING	15%
TF-HDMID-TPA-P	HDMI Type D Plug Board	15%
TF-HDMID-TPA-R	HDMI Type D Receptacle Board	20%
TF-HDMIE-TPA-KIT	HDMI TYPE E FIXTURE KIT	15%
TF-HDMI-TPA-S	Type A HDMI Fixture set for Source, Sink And Cable Testing, Includes: (1) HDMI Type A Plug Fix	15%
TF-HEAC-TPA-KIT	HEAC TPA-KIT consists of: 1. 1 Main Board;2. 1 Plug A type board;3. 1 Plug C type board;4. 2 T	15%
TF-MHL-TPA-P-WO	MHL Source Test Board Plug without Termination	15%
TF-MHL-TPA-TEK-S	MHL Source Fixture Kit	35%
TF-SATA-TPA-PRC	SATA Gen3 Plug and Receptacle Adapter with Calibration Cables 1x and 2X	15%
TF-SATA-TPA-R	SATA Gen3 Receptacle Adapter	15%
TF-USB3-AB-KIT	USB 3.0 A/B Fixture/Cable Kit	15%
TF-XGBT	10GBASE-T Ethernet Test Fixture	15%
TG2000	GENERATOR; MAINFRAME - CERTIFICATE OF TRACEABLE CALIBRATION STANDARD	60%
TG8000	Multi format Test Signal Generator Mainframe	20%
THDP0200	Differential PROBE; 200 MHZ TekVPI DIFFERENTIAL HIGH VOLTAGE PROBE	15%
THP0301-B	300 MHz 10X passive probe blue	15%
THP0301-G	300 MHz 10X passive probe green	15%
THP0301-M	300 MHz 10X passive probe magenta	15%
THP0301-Y	300 MHz 10X passive probe yellow	15%
THS3014	THS3000 Series Handheld Oscilloscope: 100MHz, 4 Channel	20%
THS3014-TK	THS3000 Series Handheld Oscilloscope with travel kit: 100MHz, 4 Channel	20%
THS3024	THS3000 Series Handheld Oscilloscope: 200MHz, 4 Channel	20%
THS3024-TK	THS3000 Series Handheld Oscilloscope with travel kit: 200MHz, 4 Channel	20%
THSBAT	THS3000 series scope Li-on battery	15%
THSCHG	Battery Charger	15%
TL708EX	TEKLINK 8-PORT INSTRUMENT HUB AND EXPANDER	60%
TLA5202B	LOGIC ANALYZER; 68 CHANNELS, 2GHZ DEEP TIMING WITH 125PS MAGNIVU ACQUISITION, 23	45%
TLA6202	TLA6000 Logic Analyzer, 68 Channels, 8 GHz MagniVu Timing, 235 MHz State Clock, 2 Mb Reco	60%
TLA6204	TLA6000 Logic Analyzer, 136 Channels, 8 GHz MagniVu Timing, 235 MHz State Clock, 2 Mb Rec	40%
TLA6401	34 Channel, 25 GHz MagniVu Timing, 333 MHz State Clock, 2 Mb Record Length Logic Analyzer	15%
TLA6404	136 Channel, 25 GHz MagniVu Timing, 333 MHz State Clock, 2 Mb Record Length Logic Analyze	15%
TLA7012	LOGIC ANALYZER, PORTABLE MAINFRAME, 2 MODULES, CERTIFICATE OF TRACEABLE CALIBRAT	15%
TLA7BB2	TLA7000 LOGIC ANALYZER MODULE, 68 CHANNELS, 50 GHZ MAGNIVU TIMING, 750 MHZ STAT	15%

TLA7BB4	TLA7000 LOGIC ANALYZER MODULE, 136 CHANNELS, 50 GHZ MAGNIVU TIMING, 750 MHZ STA	15%
TLA7QS	QUICKSTART PKG; TLA700 TRAINING PKG - STATEMENT OF COMPLIANCE INCLUDED WITH THI	60%
TLA7S16	MODULE; TLA7000 LOGIC ANALYZER MODULE, 16 CHANNELS, 5 GB/S SERIAL, 32M SAMPLES/C	60%
TLA7SA16	TLA7000 Logic Analyzer Module; 16 Differential Inputs, x8, 8 GTs Serial, 8 GB Memory	15%
TLAHRA	ADAPTER; HIGH RESISTANCE FOR USE WITH GENERAL PURPOSE LOGIC ANALYZER PROBES	15%
TMDP0200	Differential PROBE; 200 MHZ TekVPI DIFFERENTIAL MEDIUM VOLTAGE PROBE;TMPD0200	15%
TNGTDS01	TNGTDS01; OPERATOR TRAINING KIT FOR TDS200,TDS1000, TDS1000B, TDS2000, TDS2000B, T	35%
TPA-N-PRE	External Preamp., TPA Connector, SMA input	15%
TPA-N-VPI	Probe adapter from Type-N connector to TekVPI	15%
TPI4202	PORTABLE PLATFORM - supports up to two Voyager Cards (not included).	60%
TPP0250	Passive Probe: 250 MHz, 10X, TekVPI	15%
TPP0502	Passive Probe: 500 MHz, 2X, TekVPI	15%
TPP0850	High Voltage Probe: 800 MHz, 50X, 2.5 kV, Single-ended, TekVPI	15%
TPP1000	Passive Probe: 1 GHz, 10X, TekVPI	15%
TPS2PBND	POWER ANALYSIS BUNDLE FOR TPS SERIES OSCILLOSCOPES	35%
TPS2PBND2	Power Measurement Bundle: TPS2PWR1 Module and Four P5122 Probes	20%
TPS2PWR1	Application Module: Power Measurement and Analysis Software	20%
TPSCHG	Battery Charger for TPS Series Oscilloscopes	15%
TSG4100A-ATT	30dB, 5W RF attenuator up to 6 GHz	15%
TSG4100A-RM1	Single Rack mount kits	15%
TSG4102A	Analog RF SG with 2 GHz Frequency coverage	15%
TSG4104A	Analog RF SG with 4 GHz Frequency coverage	15%
		n/a
TSG4106A	Analog RF SG with 6 GHz Frequency coverage	n/a
TVA3000	TimeView Modulation Domain Analysis Software	15%
VM7FR1	VM700 RACK KIT; CONVERTS A VM700 CABINET VERSION TO RACK MOUNT	60%
VNM-EDGE	SENTRY EDGE DIGITAL CONTENT MONITOR, QAM-B/8VSB INPUT	60%
VNM-EDGE2	Sentry Edge Digital Content Monitor	60%
VNM-MED	Medius Application Manager	20%
VNM-SABR	Sentry ABR Active Video Quality Monitor	20%
VNM-SASI	Sentry Content ASI Stream Monitor	60%
VNM-SEN	Sentry Video Quality Monitor, includes QoE, Chassis Only	20%
VNM-SGE	Sentry Digital Content Monitor, includes QoE monitoring module; IP multicast input	60%
VNM-SXG	Sentry Video Quality Monitor with 10G Interface, 4 Gbps throughput	45%
VNM-VER	SENTRY VERIFY DIGITAL CONTENT MONITOR; IP MULTICAST INPUT	n/a
VNM-VXG	Sentry Verify with 10G Interface, 3 Gbps throughput	20%
VTSRACK-L1	Full rack (19), full depth, 1RU adapter (with 1.75 rack space) to fit one WVR5200, WVR5000, W	20%
VTSRACK-L2	Full rack (19), full depth, 1RU adapter (with zero clearance mounting) to fit one or two (side by	20%
WFM200BA	Rechargeable battery pack for replacement	20%
WFM200BC	External Battery Recharge Unit	20%
WFM2300	Portable 3G/HD/SD-SDI Waveform Monitor/Generator, with Eye/Jitter measurement, Li-Ion Ba	20%
WFM50F01	PORTABLE HARD CARRYING CASE FOR WFM5000 OR WFM4000	20%
WFM50F02	DUAL RACK CABINET FOR TWO WFM5000 OR WFM4000	35%
WFM50F06	FINAL ASSY; FILLER PANEL; COVERS UNUSED RACK, IDENTICAL TO THE 9 DIGIT 65049790X USE	20%
WFM50FGM	Anton Bauer Battery Adapter (Gold - Mount) Battery & Charger sold separately as accessories	20%
WFM50FSC	Soft carrying case for WFM5000 or WFM4000 (WFM50F01 is required)	20%
WFM50FVM	Sony /IDX Battery Adapter (V - Mount, Battery & Charger NOT included	20%
WFM5250	3G/HD/SD Waveform Monitor, 2 SDI Inputs and 2 HDMI Inputs (Option 3G required for 3G-SDI	20%
WFM6120	ADVANCED WAVEFORM MONITOR BASE UNIT, SD STANDARD, CERTIFICATE OF TRACEABLE CA	20%
WFM7120	Advanced Waveform Monitor Base Unit, 2 SD-SDI Inputs (HD-SDI Support on the Same Inputs	70%

WFM7200	Multi-Standard, Multi-Format Waveform Monitor, 2SDI Inputs (HD and SD-SDI support on the	20%
WFM7F00	RACKMOUNT INSERT; FOR WFM700 SERIES	35%
WFM7F02	CABINET; PORTABLE CABINET WITH HANDLE,FEET,TILT BAIL AND FRONT PANEL COVER (650-4	20%
WFM7F05	RACK ADAPTER; DUAL SIDE BY SIDE FOR WFM700,1700 SERIES AND WFM601 SERIES,SAFETY C	35%
WFM8300	Adv. 3G/HD/SD Waveform Monitor and Analyzer, 2 SDI Inputs (3G/HD/SD same inputs-auto de	20%
WFMRACK-NN	19 inch, 3RU, full-depth, Dual Rack Cabinet that accommodates a combination of one or two /	20%
WFMRACK-ON	19 inch, 3RU, full-depth, Dual Rack Cabinet (Old-New) that accommodates a combination of on	20%
WVR4000	SD-SDI WAVEFORM RASTERIZER WITH TWO PASSIVE LOOPTHROUGH VIDEO INPUTS, ONE AES	20%
WVR5250	3G/HD/SD Rasterizer, 2 SDI Inputs and 2 HDMI Inputs (Option 3G required for 3G-SDI support)	20%
WVR7200	Multi-Standard, Multi-Format Rasterizer, 2 SDI Inputs (HD and SD-SDI support on the same inp	20%
WVR8300	Adv. 3G/HD/SD Waveform Rasterizer and Analyzer, 2 SDI Inputs (3G/HD/SD same inputs-auto	20%
WVRRFP	RASTERIZER REMOTE FRONT PANEL (INCLUDES 25 FOOT CABLE)-STATEMENT OF COMPLIANCE	20%
WVRX20VH	WVR option hardware-only for Tek Video Distributors (must order corresponding WVRX20VS k	35%